

620/J/DIM/T/CL/MA MINIPISTRELLO CORDLESS

design gae aulenti, 1965



Thanks to LED technology, the Minipistrello is now available in a portable, dimmable, cordless version with rechargeable battery and touch sensor. Minipistrello is ready to go anywhere you want, for a romantic dinner, a date on the terrace, as an ideal companion for limitless living. Cordless system, rechargeable (battery charger and battery included) by Micro-USB / Type-C, charge duration: 6 hours. Also rechargeable with power-compatible banks. Diffused-light lamp. Telescope in stainless steel. White opal methacrylate diffuser. Base and knob in aluminum lacquered in the new agave green /VE color; also available in the series-production colors dark brown /MA and white /BI. LED light source integrated.

620/J/DIM/T/CL/MA minipistrello cordless

family:	cat_categories_name_3676, 3490	Body Color:	<input checked="" type="radio"/> other available colors <input type="radio"/> <input type="radio"/>
Designers:	Gae Aulenti	Diffuser Color:	<input type="radio"/>
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			
Market:	This item is available in the following countries: EUROPE		

Dimensions


Width:	-	Hole Diameter:	-
Height:	35 cm	Hole Depth:	-
Length:	-	Net weight:	2,5 Kg
Depth:	-		
Diameter:	27 cm		

Light Source

Watt:	4.5W
Lumen:	350 lm
Light Source:	led
CRI:	>80
duration:	50000
CCT:	2700K
Energy degree:	F

Device Specifications

Type of emission:	diffused	Power cable length:	190 cm	Driver:	included
Power:	-	Steel cable length:	-	Power supply assembly:	external
Light output:	-	Glow Wire Test:	-	Power supply:	electronic dimmable power supply and rechargeable battery
Beam angle:	-	Impact Resistance:	-	Type of dimming:	-
				Voltage:	230V



Dimensions

Width: -

Height: 35 cm

Length: -

Depth: -

Diameter: 27 cm

Hole Diameter: -

Hole Depth: -

Net weight: 2,5 Kg



MINIPISTRELLO CORDLESS 620/J/DIM/T/CL/MA

design gae aulenti, 1965



